



## 300 HP Sea Pro

POA



## Specifications

### Boat Details

Price	POA	Boat Brand	Mercury
Model	300 HP	Length	0.00
Year	2020	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type		Stock Number	0
Condition	New	State	New South Wales
Suburb	MARMONG POINT	Engine Make	Mercury

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (02) 4958 4588

Email: [sales@endeavourmarine.com.au](mailto:sales@endeavourmarine.com.au)

Website: <http://www.endeavourmarine.com.au/>

1/68 Munibung Road, Cardiff NSW 2285

---

## Description

The new Mercury V-8 SeaPro outboard models bring more of everything to the job—more displacement, more power, more efficiency and more durability. The impressive muscle of our new V-8 4.6-litre powerhead is specifically designed for commercial duty and delivers our best-ever fuel economy and FourStroke performance. The combination of ample torque and low weight makes these engines ideal for heavily-loaded boats. Guaranteed to do its job, so you can do yours. Mercury SeaPro FourStroke models come with a 2+1 = 3 year commercial factory warranty. ENGINE DETAILS

Advanced Range Optimization (ARO) and closed-loop fuel control work together to precisely adjust the fuel mixture for optimal fuel economy. For commercial fishing vessels, commercial workboats and law-enforcement boats.

### SPECIFICATIONS - 300 CMS

#### HP / kW

- 300/224

#### Engine type

- V-8

#### MidSection

- Conventional MidSection

#### Displacement (CID/CC)

- 279 CID

#### Displacement (L)

- 4.6L

#### Cylinder Configuration

- V-8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves

#### Full throttle RPM

- 4800-5600

#### Air induction

- Performance-Tuned Long-Runner Intake Manifold

#### Fuel induction system

- Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

#### Alternator amp / Watt

- 85-amp (1071 Watt) with Idle Charge

#### Recommended fuel

- Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

#### Recommended oil

---

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (02) 4958 4588

Email: [sales@endeavourmarine.com.au](mailto:sales@endeavourmarine.com.au)

Website: <http://www.endeavourmarine.com.au/>

1/68 Munibung Road, Cardiff NSW 2285

- 
- NMMA Certified FCW SAE 25W-40 (Optional 10W-30 for Cold Conditions)

Engine protection operator warning system

- SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

- Yes

Starting

- Electric Start with SmartStart Protection

Controls

- Remote Mechanical or Digital Throttle & Shift (DTS)

Steering

- Hydraulic (standard)
- Power (optional)

Shaft length

- 20" / 508 mm
- 25" / 635 mm
- 30" / 762 mm

Gearcase ratio

- 1.75:1

Dry weight \*Lightest model available

- 527 lbs / 239 kgs

CARB star rating

- 3

Bore and stroke

- 3.6 in x 3.4 in / 92 mm x 86 mm

Ignition

- SmartCraft PCM 112 Digital Inductive

Cooling system

- Water-cooled with thermostat

Gear shift

- F-N-R

Gearcase options

- 5.44"

Trim system

---

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (02) 4958 4588

Email: [sales@endeavourmarine.com.au](mailto:sales@endeavourmarine.com.au)

Website: <http://www.endeavourmarine.com.au/>

1/68 Munibung Road, Cardiff NSW 2285

- 
- Power trim and tilt

Exhaust system

- Through prop

Counter Rotation

- Available

Color

- Phantom Black

Lubrication system

- Integrated wet sump

Oil Capacity

- 7.0 Quarts / 6.6 Liters

Maximum Trim Range

- 20° (-6° to 14°)

Maximum Tilt Range

- 73° (-6° to 67°)

---

## Engine Details

Engine Make

Mercury

Displacement

4.6

Horse Power

300

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.