

Phone: (02) 4958 4588 Email: sales@endeavourmarine.com.au Websites://www.endeavourmarine.com.au/ 1 Nanda St Marmong Point NSW 2284



Mercury 150 HP Fourstroke

POA

Specifications

Boat Details

PricePOAModel150 HP (Fourstroke)Year2024Hull StylePower TypeConditionNewSuburbMARMONG POINT

Boat Brand Length Category Hull Type Stock Number State Engine Make Mercury 0.00 Boat Engines and Outboards 0

New South Wales Mercury

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Description

Mercury 150 HP Fourstroke - The innovation behind this 150hp FourStroke has come directly from you, our customer. HP / kW

• 150 / 110

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

• 3.0

Full throttle RPM

• 5000-5800

Air induction • Performance-Tuned Scroll Intake Manifold

Fuel induction system

Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt • 60 amp / 756 watt (Belt-Driven)

Recommended fuel • Unleaded 91 RON Minimum

Recommended oil • Mercury FourStroke Oil 10W-30

Engine protection operator warning system

SmartCraft Engine Guardian

Compatible with SmartCraft digital technology
• Yes

Starting

• Electric (turn-key)

Smart Start Electric

Controls • Mechanical throttle & shift

Steering • Big Tiller Compatible

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



- Dual Cable Mechanical
- Electro-Hydraulic Power Steering Optional on Duals
- Hydraulic power steering

Shaft length

- •20" / 508 mm
- 25" / 635 mm

Gearcase ratio

• 1.92:1

Dry weight *Lightest model available • 455 lbs / 206 kg

Emissions Star Rating

• 3

Bore and stroke • 4.0 x 3.6" / 102 x 92 mm

Ignition • SmartCraft ECM 70 Digital Inductive

Fuel system • Electronic Fuel Injection (EFI)

Cooling system • Water-cooled with thermostat

Gear shift

• F-N-R

Gearcase options

Standard

Trim system

- Power Tilt
- Power Trim

Exhaust system

• Through prop

Counter rotation

Available

Color

• Phantom Black

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Lubrication system

Integrated Dry Sump

Oil Capacity • 6.3 qts / 6.0l

Maximum Trim Range • 22° (-6° to 16°)

Maximum Tilt Range • 73° (-6° to 67°)

Features Horse Power (hp)	150	
Engine Details Engine Make	Mercury	
Horse Power	150	

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.