



Mercury 300 Dynamic RIB

POA



Specifications

Boat Details

Price POA
Model 300 Dynamic RIB
Year 2020
Hull Style Single
Power Type Power
Condition New
Suburb MARMONG POINT

Boat Brand Mercury
Length 3.00
Category Inflatable Boats
Hull Type Inflatable
Stock Number 0
State New South Wales
Engine Make

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

The performance of a rigid hull and all the advantages of an inflatable boat. The horsepower options that best suit this model are 8 or 9.9hp Mercury outboards.

Fabric Mehler Haku PVC or Achillies HP

Boat Colour Grey for Mehler Haku PVC model

White for Achillies HP model

Max. persons 4

Max. HP 15

Transom height Short

Max. engine weight (kg) 60

Max. load (kg) 455

Weight 1 (kg) 46 for Mehler Haku PVC model

48 for Achillies HP model

Length (cm) [outside] 300

Width (cm) [outside] 160

Tube diameter (cm) 40

Number of air chambers 3

Keel Rigid

Floor Fibreglass

Dimensions of folded boat (cm) - Bag 1240 x 112 x 45

Warranty on fabric and seams 3 years for Mehler Haku PVC model

5 years for Achillies HP model

Note:

1. Includes weight of oars, does not include the weight of seat (where applicable), double action pump, repair kit and carry bag.

Recommended tube air pressure is 0.25bar (3.6psi)

Due to our constant efforts to offer the finest products available, Mercury inflatables reserves the right to change specifications without notice.

Equipment Hull

- Super light Rigid Inflatable Boat (RIB). Single-skin hull built by Resin Transfer Moulding (RTM).

- Incredible strength to weight ratio, superb finish. Great as a tender or fishing boat.

- Non slip floor.

- Moderate V hull for stability.

- Stainless steel towing eyes in transom, make ideal davit lifting points or towing eyes for water sports activities.

Buoyancy Tube

- Available in Mehler Haku PVC or Achillies HP fabric.

- 3 separate internal air chambers for safety.

- Semi-recessed air valves - self draining, internal spring-loaded quick seal system, with plug.

- Rounded end cones. Ideal for quicker planning & four stroke outboards, eliminates water backwash and provides better stability.

- Easily accessible internal lifting eyes, make ideal davit lifting points.

- Durable grab rope.

- Fold down rowlocks, for neat compact storage of oars and provides room for seating along the tubes

- Rub strake.

- Combined external cleat / grab handles for easy transportation and launching.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (02) 4958 4588

Email: sales@endeavourmarine.com.au

Website: <https://www.endeavourmarine.com.au/>

1 Nanda St Marmong Point NSW 2284

- Bow-eye.

Standard Equipment

- Storage / carry bag.
- Repair kit.
- Double action hand pump with gauge.
- Aluminium oars.
- Removable fibreglass seat.

Optional Accessories

- Under seat storage bag.
 - 12v Bravo automatic electric inflator and deflator.
 - Boat cover.
-

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.