



Mercury Bravo Three XR®

POA

Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	Bravo Three XR®	Length	0.00
Year	2024	Category	Boat Parts and Accessories
Hull Style		Hull Type	
Power Type		Stock Number	0
Condition	New	State	New South Wales
Suburb	MARMONG POINT	Engine Make	

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

This robust set of counter rotating, stainless steel propellers was designed for use on big boats with big power. A large diameter four-blade front propeller coupled with a smaller diameter, three-blade rear propeller provides unmatched acceleration, tracking and handling. Enormous cup built in to the trailing edges of both front and rear props results with tremendous planing performance and enhanced fuel economy. The enhanced cup is especially useful for high torque diesel applications.

An upgrade from the standard Bravo Three propellers to the Pro Finished Bravo Three XR props will result in one inch pitch decrease to match the same RPM. The decrease in pitch may result in 3-5 mph increase at cruise with 1-2 mph increase in top-end speed.

Key Features

- Zero balanced Pro Finish prop set.
- Left-hand, 4-blade forward and right-hand, 3-blade rear propellers.
- Enhanced blade cup for improved planing performance and fuel economy.
- Recommended for 260-350 H.P. diesel and 260-525 H.P. gasoline engines.
- Fit for use on standard Bravo Three, Bravo Three X and Bravo Three XR drives.
- Sets available from 21" to 28" pitch.

SPECIFICATIONS

Diameter 15" - 16"

Pitch 21", 22", 23", 24", 25", 26", 27", 28"

Rotation Counter Rotation

Finish Pro

APPLICATIONS

- For sport cruisers, performance deck and pontoon boats, stepped vee and air entrapment hulls.
- Designed to run 50+ MPH with maximum boat control.
- Reduces slip for improved cruising & top end speeds.

MODELS

Pitch Diameter Blades Part Number

21" 16" 4 842939L70

21" 15" 3 842940L70

22" 16" 4 8M0073458

22" 15" 3 8M0073459

23" 16" 4 842941L70

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (02) 4958 4588

Email: sales@endeavourmarine.com.au

Website: <https://www.endeavourmarine.com.au/>

1 Nanda St Marmong Point NSW 2284

23" 15" 3 842942L70
24" 16" 4 842941L80
24" 15" 3 842942L80
25" 15.75" 4 842943L70
25" 14.75" 3 842944L70
26" 15.75" 4 842943L80
26" 14.75" 3 842944L80
27" 15.50" 4 842945L70
27" 14.50" 3 842946L70
28" 15.50" 4 842945L80
28" 14.50" 3 842946L80

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.