



Email: sales@endeavourmarine.com.au

Websites://www.endeavourmarine.com.au/

1 Nanda St Marmong Point NSW 2284



Mercury Diesel Inline 2.8

POA

Specifications

Boat Details

Power Type

Price POA Boat Brand Mercury
Model Inline 2.8 (Diesel) Length 0.00

Year 2020 Category Boat Engines and Outboards

Stock Number

Hull Style Hull Type

Condition New State New South Wales

Suburb MARMONG POINT Engine Make Mercury

Disclaimer

Email: sales@endeavourmarine.com.au

Websites://www.endeavourmarine.com.au/

1 Nanda St Marmong Point NSW 2284

Description

Mercury Diesel Inline 2.8 - Mercury Diesel Inline common rail or electronic injection fuel systems provide increased power-to-weight ratios, cleaner starts and less noise for a superior boating experience. The Inline range of engines are built lightweight, compact and provide increased power for impressive acceleration, throttle response and quicker planing times. Inline engines are compatible with SmartCraft electronics, SeaCore corrosion protection, Axius joystick control systems and Mercury's effortless Digital Throttle & Shift systems. Engine Overview

- Quiet, smooth performance and enhanced sociability produced from the proven High-Pressure Common-Rail fuel system
- Impressive acceleration and precise throttle response is another key result of the fuel system
- Enhanced fuel economy delivered by the full-authority electronic engine control
- Maximise vessel performance and access comprehensive vessel diagnostic information via SmartCraft® electronicsFeatures

Fuel System:Bosch Common-Rail (CRS 2.0); Integrated WIF sensor in secondary fuel filter Lubrication System:Cast aluminium oil pan

Electrical System:12 Volt system

Coolant System:Sea Water Aftercooled; Heat

Exchanger only

Emissions: EPA Tier 2, IMO, RCD certified, BSO/SAV

(select ratings)

Power HP/KW ∏∏∏220 / 160

Full Throttle Range □□□3800-3800

Displacement ∏∏∏2.8L

Engine Type IIIIn-line 4 cylinder, 4 Stroke Diesel

Bore & Stroke □□□94 mm x 100 mm (3.7 x 3.9in)

Fuel Requirement □□□Diesel

Aspiration || Turbocharged / Seawater Aftercooled

Fuel Injection System □□□Bosch Common-Rail (CRS 2.0)

Cooling System [[]]Seawater Aftercooled; Heat Exchanger

Dimensions (LxWxH) in □□□33.9 x 30.4 x 31.2

Dimensions (LxWxH) mm □□□861 x 772 x 793

Weight (Dry) (lbs./kg) □□□794 / 360

Weight w/Bravo 3 Drive (lbs./kg) [1024 / 464

Features

Horse Power (hp)

220

Disclaimer



Phone: (02) 4958 4588

Email: sales@endeavourmarine.com.au

Websites://www.endeavourmarine.com.au/

1 Nanda St Marmong Point NSW 2284

Engine Details

Engine Make Horse Power Mercury 220

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.